IN THE CLAIMS

In accordance with 37 C.F.R. 1.121(c), Applicants present the following claim amendments. Please amend claims 1 and 38 as indicated below. Please cancel claims 8-26, 28-34, and 36-37 as indicated below.

 (Currently Amended) A method for exchanging messages between users, comprising:

processing messages from a plurality of user networks having a plurality of network protocols, for storage in a message store;

accessing at least one of the messages in the message store from one of the user networks having any one of the network protocols;

obtaining configuration information about a mailbox for organizing at least one of the messages in the message store;

purging all expired messages of the mailbox; and

when the mailbox has a size that exceeds an allocated limit:

archiving only messages of the mailbox that (a) substantially exceed a

predetermined memory allocation for the mailbox and (b) have not been
accessed by a subscriber for a predetermined time period, and
compressing only messages of the mailbox that have been accessed by a
subscriber within the predetermined time period.;-and
compressing non purged and non archived messages of the mailbox.

- (Original) The method of claim 1, wherein the messages comprise one or more of the following message formats: voicemail, email, facsimile, SMS, video and a graphical image.
- (Original) The method of claim 2, the step of processing comprising transforming at least one of the messages from one message format to another message format.
- (Previously Presented) The method of claim 1, further comprising sending a notification of at least one message in the message store to a user connected with one of the user networks.

- 5. (Previously Presented) The method of claim 4, the step of sending comprising embedding in the notification information about the at least one message of the notification, wherein a user accessing the notification directly accesses the message of the notification in responding to the notification.
 - (Original) The method of claim 1, the step of processing comprising the steps of: associating one or more of the messages with a subscriber;

determining whether the subscriber has an existing mailbox;

if the subscriber has the existing mailbox, storing the one or more messages in the existing mailbox; and

if the subscriber does not have the existing mailbox, creating a new mailbox and storing the one or more messages in the new mailbox.

- 7-37. (Canceled)
- (Currently Amended) A method for automatically managing dynamic mailboxes, comprising:

obtaining configuration information from one or more dynamic mailboxes;

purging all expired messages of the dynamic mailboxes; and

for each dynamic mailbox having a size that exceeds an allocated limit:

archiving only messages of the dynamic mailboxmailboxes that (a) substantially
exceed a predetermined memory allocation and (b) have not been accessed
by a subscriber for a predetermined time period[[;]], and

compressing only messages of the dynamic mailbox that have been accessed by a subscriber within the predetermined time period.

compressing non-purged and non-archived messages of the dynamic mailboxes.

39-42. (Canceled)